

13956409767
/

13956409767
/

	1000				
	1000				
	1000				
	2024 2		2024 3		
	2024 5		2024 7 29 -30		
	800		20		2.5%
	800		20		2.5%
	1.	2014 4		2015 1	
	1				
	2.	2022.6.5			
	3.	2018.10.26			
	4.	2016.7.1			
	5.	2018.12.29			
	6.	2020.9.1			
	7.	2017.6.27			
	8.	2017		682	
	9.	[2017]4			2017
	11 22				

	1.					
	(GB8978-1996) 4					
	1-1 单位:					
		pH	COD	BOD ₅	SS	NH ₃ -N
		6-9	500	300	400	50
	GB8978-1996	6-9	500	400	400	/
	2.					
	GB					
	12348-2008 3					
	1-2 dB A					
		[dB(A)]				
GB12348-2008 3		65		55		
3						
GB						
31572-2015						
GB37822-2019 A.1 VOCs						
1-3						
表 大气污染物无组织排放限值						
		mg/m ³			mg/m ³	
			m	kg/h		
		60	15	/	4.0	GB 31572-2015
—		/	/	/	6 1h	

					20	GB3782 2-2019 A.1
--	--	--	--	--	----	-------------------------

4


GB18597-2023

<

>

5

Е' @TSD 2-Н РЪ



80T3

1、项目由

2018 8

2018 9 25

“ 2018 37 ”

2023 7

2023 7 12

91341126MA2RCFB282001Q


800 “ 1000

” 2

2300m²

1000 1#

2023 10 25 2310-3411



2

2300m²

1000

1#

1000

800

20


2.5%

2024 3

2024 5

2024 12 4


913411 Yr@ÑD \$ypñ0 D•Y G— #' Y2"




100m²

2-4

1		600t	/	/
2		200t	/	/
3	POE	30t	/	/
4		0.01t	/	/
5		0.4t	30t	24t
6	LLDPE	/	1005t	820t
7	EVA	/	2t	1.6t
8		/	2t	1.6t
9		/	0.3t	0.24
10		160m ³	195m ³	180
11		15		





表三 项目变动情况说明

3-1				否
	30%	1000		否
				否
				否
				否
1				
2		2-3	2-4	
3				
4	10%			
		"D	2-4	否
	10%			
6				

环境
保护
措施

4.1

1

2

75~85dB A

3

4

4.2

1

13

50L/ ·d

195m³/a 0.65m³/d

80%

156m³/a 0.52m³/d

2

75~85dB A

3

1
2021
900-041-49
T/In
0.2t/a
HW49

2
O

HW49
2021
900-039-49
VOCs V
T/In

INC



图 监测点位图

5.1

			“	+
”	15			
	GB31572-2015			
		GB37822-2019		
3				
			GB12348-2008	3
4				
			GB18597-2023	
5				

6.1 - CXGy @

1

2 p @À~ -À Ü959\$N0\$M\$ ÑJ` g b@ Ú °

)WgGjGjH\$Y H- ...! "@B7C9#D15E*H@0Ñ7P

g-

	HJ 637-2018	SN-01L8A AHSC-0012	0.06mg/L
	GB12348-2008	AWA5688 AHSC-0053 HS6021 AHSC-0319	/

7.1				
	300	2024	7	29
	1000			30
	80.5%-82.3%			81.4%
	7-1			
	7-1			
			/d	/d
2024	7	29	3.33	2.68
2024	7	30	3.33	2.74
7.2				
				pH
7.3				
1			4	
	7-2			
	N1		1m	
	N2		1m	
	N3		1m	
	N4		1m	
2	A		L _{Aeq}	
3	2			
4				GB 3096-2008
7.4				
1			5	

1000
2024 7 29 30
1

8-1

N3	2024	7	29	54	47
	2024	7	30	54	47
N4	2024	7	29	54	46
	2024	7	30	57	48
				65	55

GB12348-2008 3

3

GB 31572-2015

GB 31572-2015

GB37822-2019 A.1 VOCs

8-3

	DA005			DA005		
kpa	99.6~99.8			99.5~99.7		
m	15			15		
m	0.8			0.8		
	2024.07.29			2024.07.30		
m ³ /h	18022	19415	19459	19093	18771	19320
mg/m ³	4.77	4.77	4.74	4.25	4.27	4.24
kg/h	8.60×10 ⁻²	9.26×10 ⁻²	9.22×10 ⁻²	8.11×10 ⁻²	8.02×10 ⁻²	8.19×10 ⁻²

4.51mg/m³

8.57 × 10⁻²kg/h

DA005

4.77mg/m³

GB31572-2015

GB 31572-2015

60mg/m³

8.57

$\times 10^{-2} \text{kg/h} \times 1820 \text{h} \div 81.4\% \div 1000 = 0.191 \text{t/a}$

0.231t/a,

1 “ ”

“ ”

2

3

8-6

8-6

9.1

1

“ ”

项目名称	1000000	2310-341126-07-01-932309	建设地点	
行业类别 (分类管理目录)	C2921	建设性质	项目厂区中心经度/纬度	117° 21' 15.95" 32° 6' 30.00" K



10000

附件

1

2

3

4

5

6

7

8

附图

1

2